DURATEST



WHEN FAILURE IS NOT AN OPTION AND COST IS A CONSIDERATION.

DuraTest™: Extra Durable Everyday Test Assemblies

When you need a general purpose test assembly that can be counted on for the long haul and won't bust the budget, you need a DuraTest[™] assembly.

DuraTest[™] combines:

- The proven toughness of Teledyne Storm cable
- Captivated stainless steel connectors
- Proprietary Hard-To-Hurt[™] strain relief technology

Resulting in an **extra durable**, **precision test assembly** that:

- Has an average flex life of 25,000 flexures
- Is guaranteed for one year

FEATURES

- Extended frequency SMA plugs
- Combination hex/knurl type N coupling nuts
- Hard-To-Hurt[™] strain relief
- Stainless steel connector bodies

A D V A N T A G E S

- Allows testing to 26.5 GHz
- Easier to tighten, while still able to torque down
- Reduces strain at connector/cable interface
- Reduces interface wear

BENEFITS

- One cable for broadband testing
- Reduces fatigue; maintains repeatability
- Extends assembly life; reduces costs
- Extends assembly life; reduces costs



High value microwave and electronic interconnect solutions

www.teledynestorm.com

DURATEST™

SPECIFICATIONS	DURATEST			
Cable Designator	921			
Diameter (in/mm)	0.176/4.47			
Operating Frequency (Max, GHz)	26.5			
Attenuation–Max @ 2 GHz (dB/ft)	0.17			
Attenuation–Max @ 10 GHz (dB/ft)	0.43			
Attenuation-Max @ 18 GHz (dB/ft)	0.61			
Attenuation–Max @ 26.5 GHz (dB/ft)	0.78			
Min Bend Radius (in/mm)				
Connector Retention (lbs/kg min), straight pull	50/22.7			
Operating Temperature Range (°C)	-55 to +110			
Flexure (+/- 30° unrestrained pull)	25,000			
Concentrated Load (lbs/ linear inch)	100			
	1.15:1 @ 18 GHz			
Typical VSWR (2 SMA straight plugs)	1.25:1 @ 26.5 GHz			
Relative Phase Match (optional)	±9° @ 18 GHz			


DuraTest[™] is RoHS compliant

Specifications subject to change without notice.

FLEX LIFE

The DuraTest[™] cable design incorporates Storm's proprietary Hard-To-Hurt[™] strain relief technology in order to extend product life under conditions of repeated flexure, especially right behind the connector.

For a look at how the Hard-To-Hurt[™] strain relief was developed, see the last page of this brochure.






E

DURATEST[™]

ORDERING INFORMATION: Part Number Designation




921-0103-120 = DuraTest[™], SMA SP to N SP (assembly operates to 18 GHz), 120 inches

921-0303-018-PM = Phase Matched DuraTest[™], N SP to N SP (assembly operates to 18 GHz), 18 inches

* Minimum build length is 18 inches

CONNECTOR COMBINATION PART NUMBERS



^t N plug not provided with interface gasket unless requested.

■ ORDERING INFORMATION: DuraTest[™] Express

Express assemblies—in the lengths listed below and terminated with either 26.5 GHz SMA-SMA or 18 GHz N-N connector combinations—are available for next-day shipment. Express assemblies cannot be phase matched.

		10 GHz	18 GHz	26.5 GHz			10 GHz	1
		VSWR, Typical					VSWR,	Тур
Part Number	1.10:1	1.15:1	1.25:1	Part Number	1	1.15:1	1	
w/ SMA SP	Length (in/mm)	Insertion Loss		w/ N SP	Length (in/mm)	Insertion Loss		
921-0101-024	24.00/609.60	1.00	1.40	1.80	921-0303-024	24.00/609.60	1.00	
921-0101-036	36.00/914.40	1.40	2.00	2.60	921-0303-036	36.00/914.40	1.40	
921-0101-048	48.00/1219.20	1.80	2.60	3.40	921-0303-048	48.00/1219.20	1.80	
921-0101-060	60.00/1524.00	2.30	3.20	4.20	921-0303-060	60.00/1524.00	2.30	
921-0101-072	72.00/1828.80	2.70	3.90	4.90	921-0303-072	72.00/1828.80	2.70	
921-0101-084	84.00/2133.60	3.10	4.50	5.70	921-0303-084	84.00/2133.60	3.10	
921-0101-120	120.00/3048.00	4.40	6.30	8.00	921-0303-120	120.00/3048.00	4.40	6



HARD-TO-HURT[™] STRAIN RELIEF

Designing the Hard-To-Hurt[™] Strain Relief

Since no industry standard test exists, Teledyne Storm Microwave developed an accelerated life test to evaluate strain relief designs.

The 1st part of the test incorporated a cable flexing device. This flexer is capable of testing up to 6 cables simultaneously.

In use, the connectors are held static and the flexer deflects the cable behind the connectors 30° to the right and 30° to the left.

An integrated counter monitors the number of cycles (\pm 30° per cycle) that the cables have been flexed.


During flexing, the cables are connected to a Network Analyzer and monitored for Insertion Loss and VSWR so the technician knows when the cable is starting to develop instability.


Periodically, the movement is stopped and each cable's performance is measured and recorded.

The flexing is continued until the cable being tested fails to meet the Insertion Loss or VSWR requirements.

To establish an initial design baseline, Teledyne Storm Microwave evaluated cable assemblies with standard strain reliefs.

With that information in hand, alternate strain relief designs and materials were evaluated until the winning Hard-To-Hurt[™] design was selected.





Teledyne Storm Microwave Accelerated Life Testing

DURATEST[™]



AS9100/ISO 9001 REGISTERED

10221 Werch Drive Woodridge, Illinois 60517

www.teledynestorm.com

Tel 630.754.3300 Fax 630.754.3500 Toll Free 888.347.8676 storm_microwave@teledyne.com

Approved for Public Release 16-006 09/14